



# XTR™

## Airless Spray Gun



*Model number shown: 234032*

## High Pressure, Compact Airless Spray Gun

### Features

- Compact and ergonomic design
- High pressure output
- No spring in fluid passages
- Larger fluid passages

### Benefits


- Small size for easy maneuverability
- Can be used with most pumps on the market
- Easy to clean and service
- Reduces pressure drop through gun

PROVEN QUALITY. LEADING TECHNOLOGY.

# XTR Gun

## The Ideal Choice for Hard-to-Spray Industrial Coatings

The XTR Airless Spray Gun is the ideal choice for high solids and plural component coatings. The compact, lightweight design offers flexibility in hard to reach places and is ideal for spraying high viscosity coatings.



## Typical Applications

- Shipbuilding
- Railcar manufacturing and repair
- Tank and pipe coatings and linings
- Marine and offshore corrosion protection
- Container manufacturing
- Water tower coatings
- Processing plants
- Structural steel coatings
- Floor coatings

## Typical Materials

- High solids primers and coatings
- Epoxy coatings
- Urethane coatings
- Tank and pipe linings
- Fire retardant coatings

---

## Technical Specifications

Maximum fluid working pressure	7250 psi (500 bar, 50 MPa)
Fluid orifice	0.090 in (2.3 mm)
Fluid inlet	0.25 npsm (6.4 mm)
Fluid tube inside diameter	0.25 in (6.4 mm)
Maximum fluid temperature	160° F (71° C)
Sound pressure	103dB(A)*
Sound power	111.6dB(A)*
Wetted parts	Carbon steel, polyethylene, polyurethane, nylon, Teflon®
Instruction Manual	309532

\* Results are maximum readings taken at 6000 psi (414 bar, 41 MPa), with HD427 tip, using water. Sound power level was tested to ISO 3744-1981.

## Dimensions

Weight	26 oz (745 g)
Length	5.0 in (127 mm)
Height	8.0 in (203 mm)

# XTR Gun

## Ordering Information

- 233889 XTR Gun**  
Includes 519 RAC SwitchTip™ and Tip Guard
- 234032 XTR Gun**  
Includes 531 Flat Tip and Standard Tip Guard

## Accessories

- 245878 2-Finger Trigger Kit**
- 236987 Inlet Swivel**  
1/4 npsm
- 246294 10 in (0.3 m) Extension**  
7/8-14 UNF-2B with  
RAC 5 Tip and Tip Guard
- 246295 15 in (0.4 m) Extension**
- 246296 18 in (0.5 m) Extension**
- 246297 180° Spray Nozzle**  
7/8-14 UNC-2B
- 246291 Gun Filter Swivel**
- 245876 Gun Repair Kit**  
Includes gasket, needle and seat
- 245994 Gun Repair Kit**  
Includes tip guard, gasket and seal housing

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.



Call today for product information or to request a demonstration.

**1.877.84GRACO** (1-877-844-7226) or visit us at [www.graco.com](http://www.graco.com).